



# Residents' views of volcanic risk in southern Iceland – a preliminary analysis



# Deanne Bird<sup>1, 2</sup>, Guðrún Gísladóttir<sup>1</sup> and Dale Dominey-Howes<sup>3</sup>

Department of Geography and Tourism, Earth Science Institute, University of Iceland, 101 Reykjavík, Iceland. Email: dkb1@hi.is, ggisla@hi.is

Department of Physical Geography, Macquarie University, North Ryde, Sydney, NSW 2109, Australia. Email: dbird@els.mq.edu.au

<sup>3</sup> Risk Management Group, School of Safety Science, University of New South Wales, Sydney, NSW 2052, Australia. Email: dale.dh@unsw.edu.au

#### Introduction

Volcanic risk mitigation strategies have been revised by scientists, regional police and local rescue teams, in conjunction with Almannavarnir (Icelandic Civil Protection Office), for communities to the east and south of the Mýrdalsjökull ice cap. This is because the Katla volcano (Fig. 1), which underlies Mýrdalsjökull, is thought to be in an agitated state (Sturkell et al., 2008) and overdue for an eruption. In addition to catastrophic jökulhlaup, Katla eruptions produce heavy tephra fallout and lightning hazards in communities up to 30 km from the eruption site (Larsen, 2000) and have triggered small coastal tsunami during past events (Guðmundsson et al., 2008). The revised evacuation plan was tested during a full scale exercise on 25 March 2006 in the communities of Sólheimar, Vík, Álftaver and Meðalland.




Figure 1. The jökulhlaup hazard zone to the south and east of Mýrdalsjökull. This map and the newly developed evacuation plan are based on a report by Guðmundsson and Gylfason (2005).

During a future Katla eruption houses located in Sólheimar, Álftaver and Meðalland are to be evacuated due to jökulhlaup hazard while houses in the low lying coastal area of Vík are to be evacuated due to tsunami hazard. The jökulhlaup hazard zones are determined to be the maximum flood area for a catastrophic jökulhlaup. Residents in Sólheimar are instructed they have 15 minutes to prepare before evacuating to Vík. Residents in Álftaver and Meðalland are instructed they have 30 minutes to prepare before evacuating to Kirkjubæjarklaustur. Residents in Vík are instructed they have 30 minutes to prepare before evacuating to their local evacuation centre located on higher ground. Residents will be notified of an eruption via a text message sent to their mobile phone or a recorded message called through to the landline. Members of local rescue teams have volunteered to 'sweep' their areas to ensure everybody has received the evacuation message and obeyed orders.

In 2004 Jóhannesdóttir (2005) investigated risk perception, preparedness and views on mitigation strategies with respect to the previous plans which were developed in 1973. Open, in-depth interviews were conducted with residents from Álftaver and Vík and the results showed that all residents demonstrated some knowledge of past Katla

eruptions but many believed that Katla was no longer active. Despite having knowledge of the existing plan residents had not adopted personal preparedness measures. Residents in Vík were more confident in the plan than those in Álftaver. This was because residents living in Álftaver did not consider the plan or communication strategies suitable for the farming region (Johannesdottir and Gisladottir, 2008). Similarly, results from a questionnaire survey which focused on the newly developed plan showed that residents living in farming communities located in the hazard zone to the west of Mýrdalsjökull were also dissatisfied with evacuation and communication strategies (Bird et al., 2009).

Due to the revised risk mitigation strategies for the hazard zones to the south and east of Mýrdalsjökull we believed it was necessary to reassess residents' knowledge and perception of Katla, volcanic hazards and their views of the evacuation plan and exercise. The aim of this report is to present the preliminary results of our investigation. A full analysis of the results is in preparation.

#### **Methods**

Face-to-face survey interviews were conducted with local residents from April to September 2008. We endeavoured to sample one key decision maker from every permanent household located in the hazard zone. Initial contact was established by phone or by direct approach (i.e. door knocking). A total of 66 interviews were conducted with residents. This involved 9 of 10 permanent households in Álftaver, 5 of 8 permanent households in Meðalland, 5 of 6 permanent households in Sólheimar and 47 of 62 permanent households in Vík. A 77% response rate was achieved. Reasons for not participating in the survey were due to heath issues, unavailability at the time of interviewing or lack of interest.

Based on the questionnaire used by Bird et al. (2009), our instrument consisted of five sections with a total of 53 open and closed format questions. Section topics were as follows:

- 1. Participant demographics
- 2. Knowledge and perception on Katla, jökulhlaup (for Álftaver, Meðalland and Sólheimar residents) or tsunami hazard (for Vík residents) and emergency procedures
- 3. Perception of emergency communication and the evacuation plan
- 4. Personal use of media sources for acquiring hazard information
- 5. Perception of preparedness for a future Katla eruption, perception of the possibility of a future Katla eruption and its effects and, level of trust in information from various sources about a future Katla eruption.

An electronic copy of the questionnaire is available from the lead author on request.

#### **Results**

Preliminary results for sections 1 to 4 of the questionnaire are presented in Tables 1 to 4 respectively. Results from section 5 of the questionnaire are presented in Figures 2 and 3. Comments recorded verbatim are bulleted and in italics.

Table 1. Participant responses to demographic questions. All data are given as a percentage. Some sections do not equal 100% due to rounding.

| Participant Age       | 18 < 30 yrs | 31 < 50 yrs |           | 51+ yrs   |
|-----------------------|-------------|-------------|-----------|-----------|
|                       | 8           | 24          |           | 68        |
| Region                | Álftaver    | Meðalland   | Sólheimar | Vík       |
|                       | 14          | 8           | 8         | 71        |
| Number of generations | 1st         | 2nd         | 3rd       | $4^{th}+$ |
| lived in region       | 26          | 8           | 21        | 45        |

Table 2. Participant responses to knowledge and perception questions on Katla, jökulhlaup or tsunami hazard and emergency procedures. All data are given as a percentage. Some sections do not equal 100% due to rounding.

| Can you tell me a brief history of Katla?        | Correct | Incorrect | Don't know |
|--|---------|-----------|------------|
|  | 82      | 8         | 11         |
| Do you think your region can be affected by a    |         | No        | Don't know |
| jökulhlaup or tsunami?                           |         |           |            |
| • Álftaver                                       |         | 0         | 0          |
| <ul> <li>Meðalland</li> </ul>                    | 60      | 20        | 20         |
| Sólheimar  | 40      | 40        | 20         |
| • Vík  | 53      | 34        | 13         |
| Are you aware of the emergency procedures you    | Yes     |           | No         |
| need to follow if an eruption warning is issued? |         |           |            |
| Álftaver   | 100     |           | 0          |
| Meðalland  | 100     |           | 0          |
| Sólheimar  | 100     |           | 0          |
| • Vík  | 89      |           | 11         |
| What would you do if a warning is issued?        | Obey    | Other     | Don't know |
| Álftaver   | 33      | 66        | 0          |
| Meðalland  | 100     | 0         | 0          |
| Sólheimar  | 60      | 40        | 0          |
| • Vík  | 91      | 6         | 2          |

Resident comments about Katla included:

- I never think of Katla
- It is never a question of if Katla will come; it is a question of when
- We recognise Katla as a person she is an unfriendly woman who is not welcome but we just have to deal with her when she arrives

Table 3. Participant response to questions on emergency communication and the evacuation plan. All data are given as a percentage. Some sections do not equal 100% due to rounding.

| Do you always carry your mobile phone with you?  | Yes      |          | No         |
|--|----------|----------|------------|
| • Álftaver                                       | 56       |          | 44         |
| <ul> <li>Meðalland</li> </ul>                    | 20       |          | 80         |
| Sólheimar  | 20       |          | 80         |
| • Vík  | 64       |          | 36         |
| Did you take part in the evacuation exercise?    | Yes      | No       | Don't know |
| • Álftaver                                       | 78       | 22       | 0          |
| <ul> <li>Meðalland</li> </ul>                    | 100      | 0        | 0          |
| Sólheimar  | 20       | 80       | 0          |
| • Vík  | 64       | 32       | 4          |
| If you did take part, how did you feel about the | Positive | Negative | Mixed      |
| exercise?  |          |          |            |
| <ul> <li>Álftaver</li> </ul>                     | 50       | 0        | 50         |
| <ul> <li>Meðalland</li> </ul>                    | 60       | 0        | 40         |
| Sólheimar  | 100      | 0        | 0          |
| • Vík  | 90       | 0        | 10         |
| Do you think the evacuation plan is appropriate? | Yes      | No       | Mixed      |
| • Álftaver                                       | 11       | 89       | 0          |
| <ul> <li>Meðalland</li> </ul>                    | 60       | 40       | 0          |
| Sólheimar  | 80       | 0        | 20         |
| • Vík  | 91       | 4        | 4          |

Table 4. Participant responses to questions of personal use of media sources for acquiring hazard information. All data are given as a percentage.

| Have you followed discussions in the media about natural | Yes | No           |
|--|-----|--------------|
| hazards connected to a Katla eruption?                   | 92  | 8            |
| From what forms of media do you access this information? |     | <del>-</del> |
| <ul> <li>Newspaper</li> </ul>                            | 5   | 7            |
| • Radio  | 8   | 7            |
| • Television   | 8   | 2            |
| Internet   | 2   | 6            |
| <ul> <li>Information brochures</li> </ul>                | 2   | 1            |
| • Books  | 3   | 1            |




Figure 2. Resident responses to the question 'How prepared do you think you or your family are to deal with a future Katla eruption?' Answers are given on a scale ranging from 1 (not at all prepared) to 5 (completely prepared). Outliers are marked by a circle.

Resident comments regarding their personal preparedness included:

- Nobody can be completely prepared and it would be false to say not at all
- Even though we have descriptions from previous eruptions we cannot say what will happen in a future eruption
- I never think about it




Figure 3. Resident responses to the question 'How likely do you think your community will be adversely affected by the next eruption?' Answers are given on a scale ranging from 1 (extremely unlikely) to 5 (extremely likely). Outliers are marked by a circle.

Resident comments regarding the possibility of a future Katla eruption and its effects included:

- Katla, I never think about it
- It all depends how forceful the lady [Katla] will be
- It hardly needs a Katla eruption for this society to be adversely affected

## **Further developments**

To discuss the current state of Katla, a town hall meeting was held on 16 August 2008. Scientific presentations were given by members of VOLUME, Icelandic Meteorological Office, University of Iceland and the regional Chief of Police. The meeting was organised in conjunction with Almannavarnir and was attended by members of the local rescue teams, Red Cross, hut wardens working in the tourist region of Þórsmörk and local residents.

Kötlusetur was organized to commemorate the 90<sup>th</sup> anniversary of Katla's last confirmed eruption. Held on 4 October 2008, presentations were given by the Mayor of Vík, University of Iceland, regional Chief of Police and Almannavarnir and Icelandic Maritime Administration.

## **Acknowledgements**

All participants are graciously thanked for their willingness to participate in this investigation. Funding has been provided by Vegagerðin (The Icelandic Road Administration); Rannís – the Icelandic Centre for Research (Research Grant #081260008); Landsvirkjun; and, the Department of Environment and Geography and the International Office at Macquarie University, Australia.

#### References

- Bird, D.K., Gisladottir, G. and Dominey-Howes, D., 2009. Resident perception of volcanic hazards and evacuation procedures. Nat. Hazards Earth Syst. Sci., 9(1): 251-266.
- Guðmundsson, M.T. and Gylfason, Á.G., 2005. Hættumat vegan eldgosa og hlaupa frá vestanverðum Mýrdalsjökli og Eyjafjallajökli, Reykjavík.
- Guðmundsson, M.T., Larsen, G., Höskuldsson, Á. and Gylfason, Á.G., 2008. Volcanic hazards in Iceland. Jökull, 58: 251-268.
- Jóhannesdóttir, G., 2005. Við tölum aldrei um Kötlu hér. mat íbúa á hættu vegna Kötlugoss. MSc. in Environmental Sciences unpublished Thesis, University of Iceland, Reykjavík.
- Johannesdottir, G. and Gisladottir, G., 2008. People living under threat of volcanic hazard in south Iceland: vulnerability and risk perception, EGU General Assembly 2008. Geophysical Research Abstracts, Vienna pp. EGU2008-A-07687.
- Larsen, G., 2000. Holocene eruptions within the Katla volcanic system, south Iceland: Characteristics and environmental impact. Jökull, 49: 1-28.
- Sturkell, E. et al., 2008. Seismic and geodetic insights into magma accumulation at Katla subglacial volcano, Iceland: 1999 to 2005. J. Geophys. Res., 113.